









Note: The illustration shows the maximum possible equipment.

	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Fuel tank content gasoline
	Gas strut / Preloaded spring		High strength zone		Battery low voltage				



SEAT ARONA

5 doors / 5 seats / hatchback
From 2025



SEAT

1. Identification / recognition

Front logo



Rear logo




The logo may not be present


2. Immobilisation / stabilisation / lifting

Immobilise the vehicle

1. Engage a gear in vehicles with a manual gearbox (a) or select the "P" position in vehicles with an automatic gearbox (b).
2. Engage the parking brake (c).
3. Switch off the ignition (see Chapter 3).
4. Secure the vehicle to prevent it from moving.




Suitable lifting points




■ Suitable lifting points

3. Disable direct hazards / safety regulations

Switch off ignition




1. Remove the ignition key (a)
2. If the vehicle is equipped with "Keyless-Entry" - Press the START - ENGINE - STOP button (b) on the central console, without pressing the brake pedal.




Keep the vehicle key and/or smartphone app further than 5 m away from the vehicle.

Disconnecting the 12-volt battery



1. Locate the 12 V battery located on the left side of the engine compartment.
2. Disconnect the negative terminal of the battery from the onboard network.



Brand	Model	Year of launch	Internal reference	Creation date	Update date	Version	Page
SEAT	ARONA	2025	VSS-KLG2C50	18/09/2025	18/09/2025	1	2 / 3




SEAT

SEAT ARONA

5 doors / 5 seats / hatchback
From 2025



4. Access to the occupants



Glass types:

- ① Laminated safety glass
- ② Tempered glass

5. Stored energy / liquids / gases / solids

				Max. 40 L
				12 V


6. In case of fire



7. In case of submersion

After rescuing the vehicle the water, drain the water. Wear appropriate protective equipment!

8. Towing / transportation / storage



Do not tow a vehicle that has been involved in an accident on its drive axles.

9. Important additional information

Rescue manual for SEAT: <https://www.seat.com>

10. Explanation of pictograms used

Flammable	Corrosives	Hazardous to the human health	Environmental hazard	Use water to extinguish the fire	Remove smart key	Bonnet
Vehicle on fuel of liquid group 2						

Brand	Model	Year of launch	Internal reference	Creation date	Update date	Version	Page
SEAT	ARONA	2025	VSS-KLG2C50	18/09/2025	18/09/2025	1	3 / 3